

Enhanced
DIGITAL
VERSION
included



Guyton and Hall
TEXTBOOK OF
**Medical
Physiology**


14th EDITION

**JOHN E. HALL
MICHAEL E. HALL**



Any screen. Any time. Anywhere.

Activate the eBook version
of this title at no additional charge.



Student Consult eBooks give you the power to browse and find content, view enhanced images, share notes and highlights—both online and offline.

Unlock your eBook today.

- 1 Visit studentconsult.inkling.com/redeem
- 2 Scratch off your code
- 3 Type code into “Enter Code” box
- 4 Click “Redeem”
- 5 Log in or Sign Up
- 6 Go to “My Library”

It's that easy!

Scan this QR code to redeem your
eBook through your mobile device:



FPO:
Peel Off Sticker

For technical assistance:
email studentconsult.help@elsevier.com
call 1-800-401-9962 (inside the US)
call +1-314-447-8200 (outside the US)

ELSEVIER

14TH EDITION

Guyton and Hall Textbook of Medical Physiology

John E. Hall, PhD

Arthur C. Guyton Professor and Chair
Department of Physiology and Biophysics
Director, Mississippi Center for Obesity Research
University of Mississippi Medical Center
Jackson, Mississippi

Michael E. Hall, MD, MS

Associate Professor
Department of Medicine, Division of
Cardiovascular Diseases
Associate Vice Chair for Research
Department of Physiology and Biophysics
University of Mississippi Medical Center
Jackson, Mississippi



Elsevier
1600 John F. Kennedy Blvd.
Ste 1800
Philadelphia, PA 19103-2899

GUYTON AND HALL TEXTBOOK OF MEDICAL PHYSIOLOGY,
FOURTEENTH EDITION
INTERNATIONAL EDITION

ISBN: 978-0-323-59712-8
ISBN: 978-0-323-67280-1

Copyright © 2021 by Elsevier, Inc. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without permission in writing from the publisher. Details on how to seek permission, further information about the Publisher's permissions policies and our arrangements with organizations such as the Copyright Clearance Center and the Copyright Licensing Agency, can be found at our website: www.elsevier.com/permissions.

This book and the individual contributions contained in it are protected under copyright by the Publisher (other than as may be noted herein).

Notice

Practitioners and researchers must always rely on their own experience and knowledge in evaluating and using any information, methods, compounds or experiments described herein. Because of rapid advances in the medical sciences, in particular, independent verification of diagnoses and drug dosages should be made. To the fullest extent of the law, no responsibility is assumed by Elsevier, authors, editors or contributors for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein.

Previous editions copyrighted 2016, 2011, 2006, 2000, 1996, 1991, 1986, 1981, 1976, 1971, 1966, 1961, and 1956.

Library of Congress Control Number: 2020936245

Publisher: Elyse O'Grady
Senior Content Development Specialist: Jennifer Shreiner
Publishing Services Manager: Julie Eddy
Project Manager: Grace Onderlinde
Design Direction: Margaret Reid

Printed in Canada

Last digit is the print number: 9 8 7 6 5 4 3 2 1



To

Our Families

For their abundant support, for their patience and
understanding, and for their love

To

Arthur C. Guyton

For his imaginative and innovative research
For his dedication to education
For showing us the excitement and joy of physiology
And for serving as an inspirational role model

Preface

The first edition of the *Textbook of Medical Physiology* was written by Arthur C. Guyton almost 65 years ago. Unlike most major medical textbooks, which often have 20 or more authors, the first eight editions of the *Textbook of Medical Physiology* were written entirely by Dr. Guyton. He had a gift for communicating complex ideas in a clear and interesting manner that made studying physiology fun. He wrote the book to help students learn physiology, not to impress his professional colleagues.

Dr. John Hall worked closely with Dr. Guyton for almost 30 years and had the privilege of writing parts of the 9th and 10th editions and of assuming sole responsibility for completing the subsequent editions.

Dr. Michael Hall has joined in the preparation of the 14th edition of the *Textbook of Medical Physiology*. He is a physician trained in internal medicine, cardiology, and physiology and has brought new insights that have helped greatly to achieve the same goal as for previous editions—to explain, in language easily understood by students, how the different cells, tissues, and organs of the human body work together to maintain life.

This task has been challenging and fun because researchers continue to unravel new mysteries of body functions. Advances in molecular and cellular physiology have made it possible to explain some physiology principles in the terminology of molecular and physical sciences rather than in merely a series of separate and unexplained biological phenomena. However, the molecular events that underpin the functions of the body's cells provide only a partial explanation of human physiology. The total function of the human body requires complex control systems that communicate with each other and coordinate the molecular functions of the body's cells, tissues, and organs in health and disease.

The *Textbook of Medical Physiology* is not a reference book that attempts to provide a compendium of the most recent advances in physiology. It is a book that continues the tradition of being written for students. It focuses on the basic principles of physiology needed to begin a career in the health care professions, such as medicine, dentistry, and nursing, as well as graduate studies in the biological and health sciences. It should also be useful to physicians and health care professionals who wish to

review the basic principles needed for understanding the pathophysiology of human disease. We have attempted to maintain the same unified organization of the text that has been useful to students in the past and to ensure that the book is comprehensive enough that students will continue to use it during their professional careers.

Our hope is that the *Textbook of Medical Physiology* conveys the majesty of the human body and its many functions and that it stimulates students to study physiology throughout their careers. Physiology links the basic sciences and medicine. The great beauty of physiology is that it integrates the individual functions of all the body's different cells, tissues, and organs into a functional whole, the human body. Indeed, the human body is much more than the sum of its parts, and life relies upon this total function, not just on the function of individual body parts in isolation from the others.

This brings us to an important question: How are the separate organs and systems coordinated to maintain proper function of the entire body? Fortunately, our bodies are endowed with a vast network of feedback controls that achieve the necessary balances without which we would be unable to live. Physiologists call this high level of internal bodily control *homeostasis*. In disease states, functional balances are often seriously disturbed, and homeostasis is impaired. When even a single disturbance reaches a limit, the whole body can no longer live. One of the goals of this text is to emphasize the effectiveness and beauty of the body's homeostasis mechanisms as well as to present their abnormal functions in disease.

Another objective is to be as accurate as possible. Suggestions and critiques from many students, physiologists, and clinicians throughout the world have checked factual accuracy as well as balance in the text. Even so, because of the likelihood of error in sorting through many thousands of bits of information, we issue a further request for all readers to send notations of error or inaccuracy to us. Physiologists understand the importance of feedback for proper function of the human body; feedback is also important for progressive improvement of a textbook of physiology. To the many persons who have already helped, we express sincere thanks. Your feedback has helped to improve the text.

A brief explanation is needed about several features of the 14th edition. Although many of the chapters have been revised to include new principles of physiology and new figures to illustrate these principles, the text length has been closely monitored to limit the book's size so that it can be used effectively in physiology courses for medical students and health care professionals. New references have been chosen primarily for their presentation of physiological principles, for the quality of their own references, and for their easy accessibility. The selected bibliography at the end of the chapters lists mainly review papers from recently published scientific journals that can be freely accessed from the PubMed site at <https://www.ncbi.nlm.nih.gov/pubmed/>. Use of these references, as well as cross-references from them, provides much more extensive coverage of the entire field of physiology.

Our effort to be as concise as possible has, unfortunately, necessitated a more simplified and dogmatic presentation of many physiological principles than we normally would have desired. However, the bibliography can be used to learn more about the controversies and unanswered questions that remain in understanding the complex functions of the human body in health and disease.

Another feature of the book is that the print is set in two sizes. The material in large print constitutes the fundamental physiological information that students will require in virtually all of their medical studies. The material in small print and highlighted with a pale lavender background (or identified by beginning and ending double gray arrowheads in the ebook version) is of several different kinds: (1) anatomic, chemical, and other information that is needed for immediate discussion but that

most students will learn in more detail in other courses; (2) physiological information of special importance to certain fields of clinical medicine; and (3) information that will be of value to those students who wish to study specific physiological mechanisms more deeply.

The ebook version provides links to additional content including video animations and self-assessment questions that can be accessed with computers, smart phones, and electronic tablets. For additional self-assessment beyond these textbook supplements, the reader may consider using a copy of *Guyton and Hall Physiology Review*, which includes more than 1000 practice questions referenced to the textbook. We hope that these ancillary materials will assist readers in testing their understanding of basic principles of physiology.

We express sincere thanks to many persons who have helped to prepare this book, including our colleagues in the Department of Physiology and Biophysics at the University of Mississippi Medical Center who provided valuable suggestions. The members of our faculty and a brief description of the research and educational activities of the department can be found at <http://physiology.umc.edu/>. We are especially grateful to Stephanie Lucas for excellent assistance and to James Perkins for excellent illustrations. We also thank Elyse O'Grady, Jennifer Shreiner, Grace Onderlinde, Rebecca Gruliow, and the entire Elsevier team for continued editorial and production excellence.

Finally, we thank the many readers who continue to help us improve the *Textbook of Medical Physiology*. We hope that you enjoy the current edition and find it even more useful than previous editions.

John E. Hall
Michael E. Hall

Contents

UNIT I

Introduction to Physiology: The Cell and General Physiology

CHAPTER 1 3

Functional Organization of the Human Body and Control of the “Internal Environment”

Cells Are the Living Units of the Body
Extracellular Fluid—The “Internal Environment”
Homeostasis—Maintenance of a Nearly Constant Internal Environment
Control Systems of the Body
Summary—Automaticity of the Body

CHAPTER 2 13

The Cell and Its Functions

Organization of the Cell
Physical Structure of the Cell
Comparison of the Animal Cell With Prokaryotic Forms of Life
Functional Systems of the Cell
Locomotion of Cells

CHAPTER 3 31

Genetic Control of Protein Synthesis, Cell Function, and Cell Reproduction

Genes in the Cell Nucleus Control Protein Synthesis
The DNA Code in the Cell Nucleus Is Transferred to RNA Code in the Cell Cytoplasm—The Process of Transcription
Synthesis of Other Substances in the Cell
Control of Gene Function and Biochemical Activity in Cells
The DNA–Genetic System Controls Cell Reproduction
Cell Differentiation
Apoptosis—Programmed Cell Death
Cancer

UNIT II

Membrane Physiology, Nerve, and Muscle

CHAPTER 4 51

Transport of Substances Through Cell Membranes

The Cell Membrane Consists of a Lipid Bilayer With Cell Membrane Transport Proteins
Diffusion
“Active Transport” of Substances Through Membranes

CHAPTER 5 63

Membrane Potentials and Action Potentials

Basic Physics of Membrane Potentials
Measuring the Membrane Potential
Resting Membrane Potential of Neurons
Neuron Action Potential
Propagation of the Action Potential
Re-establishing Sodium and Potassium Ionic Gradients After Action Potentials Are Completed—Importance of Energy Metabolism
Plateau in Some Action Potentials
Rhythmicity of Some Excitable Tissues—Repetitive Discharge
Special Characteristics of Signal Transmission in Nerve Trunks

CHAPTER 6 79

Contraction of Skeletal Muscle

Physiological Anatomy of Skeletal Muscle
General Mechanism of Muscle Contraction
Molecular Mechanism of Muscle Contraction
Energetics of Muscle Contraction
Characteristics of Whole Muscle Contraction

CHAPTER 7 93
Excitation of Skeletal Muscle:Neuromuscular Transmission andExcitation-Contraction Coupling
 Transmission of Impulses From Nerve Endings to Skeletal Muscle Fibers: The Neuromuscular Junction

Muscle Action Potential
 Excitation-Contraction Coupling

CHAPTER 8 101
Excitation and Contraction of Smooth Muscle
 Contraction of Smooth Muscle
 Regulation of Contraction by Calcium Ions
 Nervous and Hormonal Control of Smooth Muscle Contraction

UNIT III
The Heart

CHAPTER 9 113
Cardiac Muscle; The Heart as a Pump and Function of the Heart Valves
 Physiology of Cardiac Muscle
 Cardiac Cycle
 Regulation of Heart Pumping

CHAPTER 10
Rhythmical Excitation of the Heart
 Specialized Excitatory and Conductive System of the Heart
 Control of Excitation and Conduction in the Heart

CHAPTER 11 135
Fundamentals of Electrocardiography
 Waveforms of the Normal Electrocardiogram
 Flow of Current Around the Heart During the Cardiac Cycle
 Electrocardiographic Leads

CHAPTER 12 143
Electrocardiographic Interpretation of Cardiac Muscle and Coronary Blood Flow Abnormalities: Vectorial Analysis
 Vectorial Analysis of Electrocardiograms
 Vectorial Analysis of the Normal Electrocardiogram
 Mean Electrical Axis of the Ventricular QRS and Its Significance

Conditions That Cause Abnormal Voltages of the QRS Complex
 Prolonged and Bizarre Patterns of the QRS Complex
 Current of Injury
 Abnormalities in the T Wave

CHAPTER 13 157
Cardiac Arrhythmias and Their Electrocardiographic Interpretation
 Abnormal Sinus Rhythms
 Abnormal Rhythms That Result From Block of Heart Signals Within the Intracardiac Conduction Pathways
 Premature Contractions
 Paroxysmal Tachycardia
 Ventricular Fibrillation
 Atrial Fibrillation
 Atrial Flutter
 Cardiac Arrest

UNIT IV
The Circulation

CHAPTER 14 171
Overview of the Circulation; Biophysics of Pressure, Flow, and Resistance
 Physical Characteristics of the Circulation
 Basic Principles of Circulatory Function
 Interrelationships of Pressure, Flow, and Resistance

CHAPTER 15 183
Vascular Distensibility and Functions of the Arterial and Venous Systems
 Vascular Distensibility
 Arterial Pressure Pulsations
 Veins and Their Functions

CHAPTER 16 193
The Microcirculation and Lymphatic System: Capillary Fluid Exchange, Interstitial Fluid, and Lymph Flow
 Structure of the Microcirculation and Capillary System
 Flow of Blood in the Capillaries—Vasomotion
 Exchange of Water, Nutrients, and Other Substances Between the Blood and Interstitial Fluid
 Interstitium and Interstitial Fluid
 Fluid Filtration Across Capillaries Is Determined by Hydrostatic and Colloid Osmotic Pressures and the Capillary Filtration Coefficient
 Lymphatic System

CHAPTER 17		CHAPTER 23	
Local and Humoral Control of Tissue Blood Flow		Heart Valves and Heart Sounds; Valvular and Congenital Heart Defects	283
Local Control of Blood Flow in Response to Tissue Needs		Heart Sounds	
Mechanisms of Blood Flow Control		Abnormal Circulatory Dynamics in Valvular Heart Disease	
Humoral Control of the Circulation		Abnormal Circulatory Dynamics in Congenital Heart Defects	
CHAPTER 18	217	Use of Extracorporeal Circulation During Cardiac Surgery	
Nervous Regulation of the Circulation and Rapid Control of Arterial Pressure		Hypertrophy of the Heart in Valvular and Congenital Heart Disease	
Nervous Regulation of the Circulation			
Special Features of Nervous Control of Arterial Pressure		CHAPTER 24	
CHAPTER 19	229	Circulatory Shock and Its Treatment	293
Role of the Kidneys in Long-Term Control of Arterial Pressure and in Hypertension: The Integrated System for Arterial Pressure Regulation		Physiological Causes of Shock	
Renal–Body Fluid System for Arterial Pressure Control		Shock Caused by Hypovolemia—Hemorrhagic Shock	
The Renin-Angiotensin System: Its Role in Arterial Pressure Control		Neurogenic Shock—Increased Vascular Capacity	
Summary of the Integrated, Multifaceted System for Arterial Pressure Regulation		Anaphylactic Shock and Histamine Shock	
		Septic Shock	
		Physiology of Treatment in Shock	
		Circulatory Arrest	
CHAPTER 20	245		
Cardiac Output, Venous Return, and Their Regulation		UNIT V	
Normal Values for Cardiac Output at Rest and During Activity		The Body Fluids and Kidneys	
Control of Cardiac Output by Venous Return—The Frank-Starling Mechanism of the Heart			
Pathologically High or Low Cardiac Outputs			
Methods for Measuring Cardiac Output			
CHAPTER 21	259	CHAPTER 25	305
Muscle Blood Flow and Cardiac Output During Exercise; the Coronary Circulation and Ischemic Heart Disease		The Body Fluid Compartments: Extracellular and Intracellular Fluids; Edema	
Blood Flow Regulation in Skeletal Muscle at Rest and During Exercise		Fluid Intake and Output Are Balanced During Steady-State Conditions	
Coronary Circulation		Body Fluid Compartments	
		Constituents of Extracellular and Intracellular Fluids	
		Measurement of Fluid Volumes in the Different Body Fluid Compartments—The Indicator-Dilution Principle	
		Determination of Volumes of Specific Body Fluid Compartments	
		Regulation of Fluid Exchange and Osmotic Equilibrium Between Intracellular and Extracellular Fluid	
CHAPTER 22	271	Volume and Osmolality of Extracellular and Intracellular Fluids in Abnormal States	
Cardiac Failure		Glucose and Other Solutions Administered for Nutritive Purposes	
Circulatory Dynamics in Cardiac Failure		Clinical Abnormalities of Fluid Volume Regulation: Hyponatremia and Hypernatremia	
Unilateral Left Heart Failure		Edema: Excess Fluid in the Tissues	
Low-Output Cardiac Failure—Cardiogenic Shock		Fluids in the “Potential Spaces” of the Body	
Edema in Patients With Cardiac Failure			
Cardiac Reserve			

CHAPTER 26		
The Urinary System: Functional Anatomy and Urine Formation by the Kidneys		
Multiple Functions of the Kidneys		
Physiological Anatomy of the Kidneys		
Micturition		
Urine Formation Results From Glomerular Filtration, Tubular Reabsorption, and Tubular Secretion		
CHAPTER 27		
Glomerular Filtration, Renal Blood Flow, and Their Control		
Glomerular Filtration—The First Step in Urine Formation		
Determinants of the GFR		
Renal Blood Flow		
Physiological Control of Glomerular Filtration and Renal Blood Flow		
Autoregulation of GFR and Renal Blood Flow		
CHAPTER 28		
Renal Tubular Reabsorption and Secretion		
Tubular Reabsorption Is Quantitatively Large and Highly Selective		
Tubular Reabsorption Includes Passive and Active Mechanisms		
Reabsorption and Secretion Along Different Parts of the Nephron		
Regulation of Tubular Reabsorption		
Use of Clearance Methods to Quantify Kidney Function		
CHAPTER 29		
Urine Concentration and Dilution; Regulation of Extracellular Fluid Osmolarity and Sodium Concentration		
Kidneys Excrete Excess Water by Forming Dilute Urine		
Kidneys Conserve Water by Excreting Concentrated Urine		
Special Characteristics of the Loop of Henle That Cause Solutes to be Trapped in the Renal Medulla		
Control of Extracellular Fluid Osmolarity and Sodium Concentration		
Osmoreceptor-ADH Feedback System		
Importance of Thirst in Controlling Extracellular Fluid Osmolarity and Sodium Concentration		
CHAPTER 30		
Renal Regulation of Potassium, Calcium, Phosphate, and Magnesium; Integration of Renal Mechanisms for Control of Blood Volume and Extracellular Fluid Volume		
	321	Regulation of Extracellular Fluid Potassium Concentration and Potassium Excretion
		Control of Renal Calcium Excretion and Extracellular Calcium Ion Concentration
		Control of Renal Magnesium Excretion and Extracellular Magnesium Ion Concentration
		Integration of Renal Mechanisms for Control of Extracellular Fluid
		Importance of Pressure Natriuresis and Pressure Diuresis in Maintaining Body Sodium and Fluid Balance
	331	Distribution of Extracellular Fluid Between the Interstitial Spaces and Vascular System
		Nervous and Hormonal Factors Increase the Effectiveness of Renal–Body Fluid Feedback Control
		Integrated Responses to Changes in Sodium Intake
		Conditions That Cause Large Increases in Blood Volume and Extracellular Fluid Volume
		Conditions That Cause Large Increases in Extracellular Fluid Volume but With Normal Blood Volume
	343	
		CHAPTER 31
		Acid-Base Regulation
		H ⁺ Concentration Is Precisely Regulated
		Acids and Bases—Their Definitions and Meanings
		Defending Against Changes in H ⁺ Concentration: Buffers, Lungs, and Kidneys
		Buffering of H ⁺ in the Body Fluids
		Bicarbonate Buffer System
		Phosphate Buffer System
		Proteins Are Important Intracellular Buffers
		Respiratory Regulation of Acid-Base Balance
		Renal Control of Acid-Base Balance
		Secretion of H ⁺ and Reabsorption of HCO ₃ ⁻ by the Renal Tubules
		Combination of Excess H ⁺ With Phosphate and Ammonia Buffers in the Tubule Generates “New” HCO ₃ ⁻
		Quantifying Renal Acid-Base Excretion
		Renal Correction of Acidosis—Increased Excretion of H ⁺ and Addition of HCO ₃ ⁻ to the Extracellular Fluid
		Renal Correction of Alkalosis—Decreased Tubular Secretion of H ⁺ and Increased Excretion of HCO ₃ ⁻
		Clinical Causes of Acid-Base Disorders
	365	
		CHAPTER 32
		Diuretics, Kidney Diseases
		Diuretics and Their Mechanisms of Action
		Kidney Diseases
		Acute Kidney Injury
	383	
		CHAPTER 33
		Diuretics, Kidney Diseases
		Diuretics and Their Mechanisms of Action
		Kidney Diseases
		Acute Kidney Injury
	403	
		CHAPTER 34
		Diuretics, Kidney Diseases
		Diuretics and Their Mechanisms of Action
		Kidney Diseases
		Acute Kidney Injury
	421	

Chronic Kidney Disease Is Often Associated With Irreversible Loss of Functional Nephrons

Treatment of Renal Failure by Transplantation or by Dialysis With an Artificial Kidney

UNIT VI

Blood Cells, Immunity, and Blood Coagulation

CHAPTER 33 439

Red Blood Cells, Anemia, and Polycythemia

Red Blood Cells (Erythrocytes)

Anemias

Polycythemia

CHAPTER 34 449

Resistance of the Body to Infection: I. Leukocytes, Granulocytes, the Monocyte-Macrophage System, and Inflammation

Leukocytes (White Blood Cells)

Neutrophils and Macrophages Defend Against Infections

Monocyte-Macrophage Cell System (Reticuloendothelial System)

Inflammation: Role of Neutrophils and Macrophages

Eosinophils

Basophils

Leukopenia

Leukemias

CHAPTER 35 459

Resistance of the Body to Infection: II. Immunity and Allergy

Acquired (Adaptive) Immunity

Allergy and Hypersensitivity

CHAPTER 36 471

Blood Types; Transfusion; Tissue and Organ Transplantation

Antigenicity Causes Immune Reactions of Blood

O-A-B Blood Types

Rh Blood Types

Transplantation of Tissues and Organs

CHAPTER 37 477

Hemostasis and Blood Coagulation

Hemostasis Events

Mechanism of Blood Coagulation

Conditions That Cause Excessive Bleeding in Humans

Thromboembolic Conditions

Anticoagulants for Clinical Use

Blood Coagulation Tests

UNIT VII

Respiration

CHAPTER 38 491

Pulmonary Ventilation

Mechanics of Pulmonary Ventilation

Pulmonary Volumes and Capacities

Alveolar Ventilation

Functions of the Respiratory Passageways

CHAPTER 39 503

Pulmonary Circulation, Pulmonary Edema, Pleural Fluid

Physiological Anatomy of the Pulmonary Circulatory System

Pressures in the Pulmonary System

Blood Volume of the Lungs

Blood Flow Through the Lungs and Its Distribution

Effect of Hydrostatic Pressure Gradients in the Lungs on Regional Pulmonary Blood Flow

Pulmonary Capillary Dynamics

Fluid in the Pleural Cavity

CHAPTER 40 511

Principles of Gas Exchange; Diffusion of Oxygen and Carbon Dioxide Through the Respiratory Membrane

Physics of Gas Diffusion and Gas Partial Pressures

Compositions of Alveolar Air and Atmospheric Air Are Different

Diffusion of Gases Through the Respiratory Membrane

CHAPTER 41 521

Transport of Oxygen and Carbon Dioxide in Blood and Tissue Fluids

Transport of Oxygen From the Lungs to the Body Tissues

Transport of Carbon Dioxide in the Blood

Respiratory Exchange Ratio

CHAPTER 42 531

Regulation of Respiration

Respiratory Center

Chemical Control of Respiration

Peripheral Chemoreceptor System for Control of Respiratory Activity—Role of Oxygen in Respiratory Control
 Regulation of Respiration During Exercise
 Other Factors That Affect Respiration

CHAPTER 43 **541**

Respiratory Insufficiency—Pathophysiology, Diagnosis, Oxygen Therapy

Useful Methods for Studying Respiratory Abnormalities
 Pathophysiology of Specific Pulmonary Abnormalities

Hypoxia and Oxygen Therapy
 Hypercapnia—Excess Carbon Dioxide in the Body Fluids
 Artificial Respiration

UNIT VIII

Aviation, Space, and Deep-Sea Diving Physiology

CHAPTER 44 **553**

Aviation, High Altitude, and Space Physiology

Effects of Low Oxygen Pressure on the Body
 Effects of Acceleratory Forces on the Body in Aviation and Space Physiology
 “Artificial Climate” in the Sealed Spacecraft
 Weightlessness in Space

CHAPTER 45 **561**

Physiology of Deep-Sea Diving and Other Hyperbaric Conditions

Effect of High Partial Pressures of Individual Gases on the Body
 Self-Contained Underwater Breathing Apparatus (SCUBA) Diving
 Special Physiological Problems in Submarines
 Hyperbaric Oxygen Therapy

UNIT IX

The Nervous System: A. General Principles and Sensory Physiology

CHAPTER 46 **569**

Organization of the Nervous System, Basic Functions of Synapses, and Neurotransmitters

General Design of the Nervous System
 Major Levels of Central Nervous System Function

Comparison of the Nervous System to a Computer

Central Nervous System Synapses
 Some Special Characteristics of Synaptic Transmission

CHAPTER 47 **587**

Sensory Receptors, Neuronal Circuits for Processing Information

Types of Sensory Receptors and the Stimuli They Detect

Transduction of Sensory Stimuli Into Nerve Impulses

Transmission of Signals of Different Intensity in Nerve Tracts—Spatial and Temporal Summation

Transmission and Processing of Signals in Neuronal Pools

Instability and Stability of Neuronal Circuits

CHAPTER 48 **599**

Somatic Sensations: I. General Organization, the Tactile and Position Senses

Classification of Somatic Senses
 Detection and Transmission of Tactile Sensations

Sensory Pathways for Transmitting Somatic Signals Into the Central Nervous System

Transmission in the Dorsal Column–Medial Lemniscal System

Transmission of Less Critical Sensory Signals in the Anterolateral Pathway
 Some Special Aspects of Somatosensory Function

CHAPTER 49 **613**

Somatic Sensations: II. Pain, Headache, and Thermal Sensations

Types of Pain and Their Qualities—Fast Pain and Slow Pain

Pain Receptors and Their Stimulation

Dual Pathways for Transmission of Pain Signals Into the Central Nervous System

Pain Suppression (Analgesia) System in the Brain and Spinal Cord

Referred Pain

Visceral Pain

Some Clinical Abnormalities of Pain and Other Somatic Sensations

Headache

Thermal Sensations

UNIT X**The Nervous System:
B. The Special Senses**

CHAPTER 50	627	Muscle Sensory Receptors—Muscle Spindles and Golgi Tendon Organs—and Their Roles in Muscle Control
The Eye: I. Optics of Vision		Flexor Reflex and the Withdrawal Reflexes
Physical Principles of Optics		Crossed Extensor Reflex
Optics of the Eye		Reciprocal Inhibition and Reciprocal Innervation
Fluid System of the Eye—Intraocular Fluid		Reflexes of Posture and Locomotion
CHAPTER 51	639	Scratch Reflex
The Eye: II. Receptor and Neural Function of the Retina		Spinal Cord Reflexes That Cause Muscle Spasm
Anatomy and Function of the Structural Elements of the Retina		Autonomic Reflexes in the Spinal Cord
Photochemistry of Vision		Spinal Cord Transection and Spinal Shock
Color Vision		CHAPTER 56
Neural Function of the Retina		697
CHAPTER 52	653	Cortical and Brain Stem Control of Motor Function
The Eye: III. Central Neurophysiology of Vision		Motor Cortex and Corticospinal Tract
Visual Pathways		Control of Motor Functions by the Brain Stem
Organization and Function of the Visual Cortex		Vestibular Sensations and Maintenance of Equilibrium
Neuronal Patterns of Stimulation During Analysis of the Visual Image		Functions of Brain Stem Nuclei in Controlling Subconscious, Stereotyped Movements
Eye Movements and Their Control		CHAPTER 57
Autonomic Control of Accommodation and Pupillary Aperture		711
CHAPTER 53	663	Cerebellum and Basal Ganglia Contribution to Overall Motor Control
The Sense of Hearing		The Cerebellum and Its Motor Functions
Tympanic Membrane and the Ossicular System		The Basal Ganglia and Their Motor Functions
Cochlea		Integration of the Many Parts of the Total Motor Control System
Central Auditory Mechanisms		CHAPTER 58
Hearing Abnormalities		727
CHAPTER 54	675	Cerebral Cortex, Intellectual Functions of the Brain, Learning, and Memory
The Chemical Senses—Taste and Smell		Physiological Anatomy of the Cerebral Cortex
Sense of Taste		Functions of Specific Cortical Areas
Sense of Smell		Function of the Brain in
UNIT XI		Communication—Language Input and Language Output
The Nervous System: C. Motor and Integrative Neurophysiology		Function of the Corpus Callosum and Anterior Commissure to Transfer Thoughts, Memories, Training, and Other Information Between the Two Cerebral Hemispheres
CHAPTER 55	685	Thoughts, Consciousness, and Memory
Motor Functions of the Spinal Cord; the Cord Reflexes		CHAPTER 59
Organization of the Spinal Cord for Motor Functions		741
		The Limbic System and the Hypothalamus Behavioral and Motivational Mechanisms of the Brain—
		Activating—Driving Systems of the Brain
		Limbic System
		The Hypothalamus, a Major Control Headquarters for the Limbic System

Specific Functions of Other Parts of the Limbic System

CHAPTER 60 753

States of Brain Activity—Sleep, BrainWaves, Epilepsy, Psychoses, and Dementia

Sleep

Brain Waves

Seizures and Epilepsy

Psychotic Behavior—Roles of Specific Neurotransmitter Systems

Alzheimer’s Disease—Amyloid Plaques and Depressed Memory

CHAPTER 61 763

The Autonomic Nervous System and the Adrenal Medulla

General Organization of the Autonomic Nervous System

Basic Characteristics of Sympathetic and Parasympathetic Function

Autonomic Reflexes

Stimulation of Discrete Organs in Some Instances and Mass Stimulation in Other Instances by the Sympathetic and Parasympathetic Systems

Pharmacology of the Autonomic Nervous System

CHAPTER 62 777

Cerebral Blood Flow, Cerebrospinal Fluid, and Brain Metabolism

Cerebral Blood Flow

Cerebrospinal Fluid System

Brain Metabolism

UNIT XII

Gastrointestinal Physiology

CHAPTER 63 787

General Principles of Gastrointestinal Function—Motility, Nervous Control, and Blood Circulation

General Principles of Gastrointestinal Motility

Neural Control of Gastrointestinal Function—Enteric Nervous System

Hormonal Control of Gastrointestinal Motility

Functional Types of Movements in the Gastrointestinal Tract

Gastrointestinal Blood Flow—Splanchnic Circulation

CHAPTER 64 797

Propulsion and Mixing of Food in the Alimentary Tract

Ingestion of Food

Motor Functions of the Stomach

Movements of the Small Intestine

Movements of the Colon

Other Autonomic Reflexes That Affect Bowel Activity

CHAPTER 65 807

Secretory Functions of the Alimentary Tract

General Principles of Alimentary Tract Secretion

Secretion of Saliva

Esophageal Secretion

Gastric Secretion

Pancreatic Secretion

Bile Secretion by the Liver

Secretions of the Small Intestine

Secretion of Mucus by the Large Intestine

CHAPTER 66 823

Digestion and Absorption in the Gastrointestinal Tract

Digestion of the Various Foods by Hydrolysis

Basic Principles of Gastrointestinal Absorption

Absorption in the Small Intestine

Absorption in the Large Intestine: Formation of Feces

CHAPTER 67 833

Physiology of Gastrointestinal Disorders

Disorders of Swallowing and the Esophagus

Disorders of the Stomach

Disorders of the Small Intestine

Disorders of the Large Intestine

General Disorders of the Gastrointestinal Tract

UNIT XIII

Metabolism and Temperature Regulation

CHAPTER 68 843

Metabolism of Carbohydrates and Formation of Adenosine Triphosphate

Release of Energy From Foods and “Free Energy”

Adenosine Triphosphate Is the “Energy Currency” of the Body

Central Role of Glucose in Carbohydrate Metabolism		
Transport of Glucose Through the Cell Membrane		
Glycogen Is Stored in the Liver and Muscle		
Release of Energy From Glucose by the Glycolytic Pathway		
Formation of Large Quantities of ATP by Oxidation of Hydrogen—the Process of Oxidative Phosphorylation		
Summary of ATP Formation During the Breakdown of Glucose		
Anaerobic Release of Energy—Anaerobic Glycolysis		
Release of Energy From Glucose by the Pentose Phosphate Pathway		
Formation of Carbohydrates From Proteins and Fats—Gluconeogenesis		
CHAPTER 69		
Lipid Metabolism		
Basic Chemical Structure of Triglycerides (Neutral Fat)		
Transport of Lipids in the Body Fluids		
Fat Deposits		
Use of Triglycerides for Energy: Formation of Adenosine Triphosphate		
Regulation of Energy Release From Triglycerides		
Phospholipids and Cholesterol		
Atherosclerosis		
CHAPTER 70		
Protein Metabolism		
Basic Properties of Proteins		
Transport and Storage of Amino Acids		
Functional Roles of the Plasma Proteins		
Hormonal Regulation of Protein Metabolism		
CHAPTER 71		
The Liver as an Organ		
Physiological Anatomy of the Liver		
Hepatic Vascular and Lymph Systems		
Metabolic Functions of the Liver		
Protein Metabolism		
Measurement of Bilirubin in the Bile as a Clinical Diagnostic Tool		
CHAPTER 72		
Dietary Balances; Regulation of Feeding; Obesity and Starvation; Vitamins and Minerals		
Energy Intake and Output Are Balanced Under Steady-State Conditions		
Dietary Balances		
Regulation of Food Intake and Energy Storage		
Obesity		
Inanition, Anorexia, and Cachexia		
Starvation		
Vitamins		
Mineral Metabolism		
CHAPTER 73		893
Energetics and Metabolic Rate		
Adenosine Triphosphate Functions as an “Energy Currency” in Metabolism		
Control of Energy Release in the Cell		
Metabolic Rate		
Energy Metabolism—Factors That Influence Energy Output		
CHAPTER 74		901
Body Temperature Regulation and Fever		
Normal Body Temperatures		
Body Temperature Is Controlled by Balancing Heat Production and Heat Loss		
Regulation of Body Temperature—Role of the Hypothalamus		
Abnormalities of Body Temperature Regulation		
UNIT XIV		
Endocrinology and Reproduction		
CHAPTER 75		915
Introduction to Endocrinology		
Coordination of Body Functions by Chemical Messengers		
Chemical Structure and Synthesis of Hormones		
Hormone Secretion, Transport, and Clearance From the Blood		
Mechanisms of Action of Hormones		
Measurement of Hormone Concentrations in the Blood		
CHAPTER 76		929
Pituitary Hormones and Their Control by the Hypothalamus		
Pituitary Gland and Its Relation to the Hypothalamus		
Hypothalamus Controls Pituitary Secretion		
Physiological Functions of Growth Hormone		
Posterior Pituitary Gland and Its Relation to the Hypothalamus		
CHAPTER 77		871

<p>CHAPTER 77 Thyroid Metabolic Hormones Synthesis and Secretion of the Thyroid Metabolic Hormones Physiological Functions of the Thyroid Hormones Regulation of Thyroid Hormone Secretion Diseases of the Thyroid</p>	<p>941</p>	<p>Spermatogenesis Male Sexual Act Testosterone and Other Male Sex Hormones Abnormalities of Male Sexual Function Erectile Dysfunction in the Male The Function of the Pineal Gland in Controlling Seasonal Fertility in Some Animals</p>	
<p>CHAPTER 78 Adrenocortical Hormones Corticosteroids: Mineralocorticoids, Glucocorticoids, and Androgens Synthesis and Secretion of Adrenocortical Hormones Functions of the Mineralocorticoids—Aldosterone Functions of Glucocorticoids Adrenal Androgens Abnormalities of Adrenocortical Secretion</p>	<p>955</p>	<p>CHAPTER 82 Female Physiology Before Pregnancy and Female Hormones Physiological Anatomy of the Female Sexual Organs Oogenesis and Follicular Development in the Ovaries Female Hormonal System Monthly Ovarian Cycle; Function of the Gonadotropic Hormones Functions of the Ovarian Hormones—Estradiol and Progesterone Regulation of the Female Monthly Rhythm—Interplay Between the Ovarian and Hypothalamic-Pituitary Hormones Abnormalities of Secretion by the Ovaries Female Sexual Act Female Fertility Hormonal Suppression of Fertility—“The Pill” Abnormal Conditions That Cause Female Sterility</p>	<p>1027</p>
<p>CHAPTER 79 Insulin, Glucagon, and Diabetes Mellitus Physiological Anatomy of the Pancreas Insulin and Its Metabolic Effects Glucagon and Its Functions Somatostatin Inhibits Glucagon and Insulin Secretion Summary of Blood Glucose Regulation Diabetes Mellitus</p>	<p>973</p>		
<p>CHAPTER 80 Parathyroid Hormone, Calcitonin, Calcium and Phosphate Metabolism, Vitamin D, Bone, and Teeth Overview of Calcium and Phosphate Regulation in the Extracellular Fluid and Plasma Bone and Its Relation to Extracellular Calcium and Phosphate Vitamin D Parathyroid Hormone Calcitonin Summary of Control of Calcium Ion Concentration Pathophysiology of Parathyroid Hormone, Vitamin D, and Bone Disease Physiology of the Teeth</p>	<p>991</p>	<p>CHAPTER 83 Pregnancy and Lactation Maturation and Fertilization of the Ovum Early Nutrition of the Embryo Anatomy and Function of the Placenta Hormonal Factors in Pregnancy Response of the Mother’s Body to Pregnancy Parturition Lactation</p>	<p>1045</p>
<p>CHAPTER 81 Reproductive and Hormonal Functions of the Male (and Function of the Pineal Gland) Physiological Anatomy of the Male Sexual Organs</p>	<p>1011</p>	<p>CHAPTER 84 Fetal and Neonatal Physiology Growth and Functional Development of the Fetus Development of the Organ Systems Fetal Metabolism Adjustments of the Infant to Extrauterine Life Special Functional Problems in the Neonate Special Problems of Prematurity Growth and Development of the Child</p>	<p>1061</p>

UNIT XV**Sports Physiology****CHAPTER 85****Sports Physiology**

Female and Male Athletes

Muscles in Exercise

1073

Respiration in Exercise
Cardiovascular System in Exercise
Body Heat in Exercise
Body Fluids and Salt in Exercise
Drugs and Athletes
Body Fitness Prolongs Life

Index**1085**



Functional Organization of the Human Body and Control of the “Internal Environment”

Physiology is the science that seeks to explain the physical and chemical mechanisms that are responsible for the origin, development, and progression of life. Each type of life, from the simplest virus to the largest tree or the complicated human being, has its own functional characteristics. Therefore, the vast field of physiology can be divided into viral physiology, bacterial physiology, cellular physiology, plant physiology, invertebrate physiology, vertebrate physiology, mammalian physiology, human physiology, and many more subdivisions.

Human Physiology. The science of human physiology attempts to explain the specific characteristics and mechanisms of the human body that make it a living being. The fact that we remain alive is the result of complex control systems. Hunger makes us seek food, and fear makes us seek refuge. Sensations of cold make us look for warmth. Other forces cause us to seek fellowship and to reproduce. The fact that we are sensing, feeling, and knowledgeable beings is part of this automatic sequence of life; these special attributes allow us to exist under widely varying conditions that otherwise would make life impossible.

Human physiology links the basic sciences with medicine and integrates multiple functions of the cells, tissues, and organs into the functions of the living human being. This integration requires communication and coordination by a vast array of control systems that operate at every level—from the genes that program synthesis of molecules to the complex nervous and hormonal systems that coordinate functions of cells, tissues, and organs throughout the body. Thus, the coordinated functions of the human body are much more than the sum of its parts, and life in health, as well as in disease states, relies on this total function. Although the main focus of this book is on normal human physiology, we will also discuss, to some extent, *pathophysiology*, which is the study of disordered body function and the basis for clinical medicine.

CELLS ARE THE LIVING UNITS OF THE BODY

The basic living unit of the body is the cell. Each tissue or organ is an aggregate of many different cells held together by intercellular supporting structures.

Each type of cell is specially adapted to perform one or a few particular functions. For example, the red blood cells, numbering about 25 trillion in each person, transport oxygen from the lungs to the tissues. Although the red blood cells are the most abundant of any single type of cell in the body, there are also trillions of additional cells of other types that perform functions different from those of the red blood cell. The entire body, then, contains about 35 to 40 trillion human cells.

The many cells of the body often differ markedly from one another but all have certain basic characteristics that are alike. For example, oxygen reacts with carbohydrate, fat, and protein to release the energy required for all cells to function. Furthermore, the general chemical mechanisms for changing nutrients into energy are basically the same in all cells, and all cells deliver products of their chemical reactions into the surrounding fluids.

Almost all cells also have the ability to reproduce additional cells of their own type. Fortunately, when cells of a particular type are destroyed, the remaining cells of this type usually generate new cells until the supply is replenished.

Microorganisms Living in the Body Outnumber Human Cells. In addition to human cells, trillions of microbes inhabit the body, living on the skin and in the mouth, gut, and nose. The gastrointestinal tract, for example, normally contains a complex and dynamic population of 400 to 1000 species of microorganisms that outnumber our human cells. Communities of microorganisms that inhabit the body, often called *microbiota*, can cause diseases, but most of the time they live in harmony with their human hosts and provide vital functions that are essential for survival of their hosts. Although the importance of gut microbiota in the digestion of foodstuffs is widely recognized, additional roles for the body’s microbes in nutrition, immunity, and other functions are just beginning to be appreciated and represent an intensive area of biomedical research.

EXTRACELLULAR FLUID—THE “INTERNAL ENVIRONMENT”

About 50% to 70% of the adult human body is fluid, mainly a water solution of ions and other substances. Although

most of this fluid is inside the cells and is called *intracellular fluid*, about one-third is in the spaces outside the cells and is called *extracellular fluid*. This extracellular fluid is in constant motion throughout the body. It is transported rapidly in the circulating blood and then mixed between the blood and tissue fluids by diffusion through the capillary walls.

In the extracellular fluid are the ions and nutrients needed by the cells to maintain life. Thus, all cells live in essentially the same environment—the extracellular fluid. For this reason, the extracellular fluid is also called the *internal environment* of the body, or the *milieu intérieur*, a term introduced by the great 19th-century French physiologist Claude Bernard (1813–1878).

Cells are capable of living and performing their special functions as long as the proper concentrations of oxygen, glucose, different ions, amino acids, fatty substances, and other constituents are available in this internal environment.

Differences in Extracellular and Intracellular Fluids.

The extracellular fluid contains large amounts of sodium, chloride, and bicarbonate ions plus nutrients for the cells, such as oxygen, glucose, fatty acids, and amino acids. It also contains carbon dioxide that is being transported from the cells to the lungs to be excreted, plus other cellular waste products that are being transported to the kidneys for excretion.

The intracellular fluid contains large amounts of potassium, magnesium, and phosphate ions instead of the sodium and chloride ions found in the extracellular fluid. Special mechanisms for transporting ions through the cell membranes maintain the ion concentration differences between the extracellular and intracellular fluids. These transport processes are discussed in [Chapter 4](#).

HOMEOSTASIS—MAINTENANCE OF A NEARLY CONSTANT INTERNAL ENVIRONMENT

In 1929, the American physiologist Walter Cannon (1871–1945) coined the term *homeostasis* to describe the *maintenance of nearly constant conditions in the internal environment*. Essentially, all organs and tissues of the body perform functions that help maintain these relatively constant conditions. For example, the lungs provide oxygen to the extracellular fluid to replenish the oxygen used by the cells, the kidneys maintain constant ion concentrations, and the gastrointestinal system provides nutrients while eliminating waste from the body.

The various ions, nutrients, waste products, and other constituents of the body are normally regulated within a range of values, rather than at fixed values. For some of the body's constituents, this range is extremely small. Variations in the blood hydrogen ion concentration, for example, are normally less than 5 *nanomoles/L* (0.000000005 moles/L). The blood sodium concentration is also tightly

regulated, normally varying only a few *millimoles* per liter, even with large changes in sodium intake, but these variations of sodium concentration are at least 1 million times greater than for hydrogen ions.

Powerful control systems exist for maintaining concentrations of sodium and hydrogen ions, as well as for most of the other ions, nutrients, and substances in the body at levels that permit the cells, tissues, and organs to perform their normal functions, despite wide environmental variations and challenges from injury and diseases.

Much of this text is concerned with how each organ or tissue contributes to homeostasis. Normal body functions require integrated actions of cells, tissues, organs, and multiple nervous, hormonal, and local control systems that together contribute to homeostasis and good health.

Homeostatic Compensations in Diseases. *Disease* is often considered to be a state of disrupted homeostasis. However, even in the presence of disease, homeostatic mechanisms continue to operate and maintain vital functions through multiple compensations. In some cases, these compensations may lead to major deviations of the body's functions from the normal range, making it difficult to distinguish the primary cause of the disease from the compensatory responses. For example, diseases that impair the kidneys' ability to excrete salt and water may lead to high blood pressure, which initially helps return excretion to normal so that a balance between intake and renal excretion can be maintained. This balance is needed to maintain life, but, over long periods of time, the high blood pressure can damage various organs, including the kidneys, causing even greater increases in blood pressure and more renal damage. Thus, homeostatic compensations that ensue after injury, disease, or major environmental challenges to the body may represent trade-offs that are necessary to maintain vital body functions but, in the long term, contribute to additional abnormalities of body function. The discipline of *pathophysiology* seeks to explain how the various physiological processes are altered in diseases or injury.

This chapter outlines the different functional systems of the body and their contributions to homeostasis. We then briefly discuss the basic theory of the body's control systems that allow the functional systems to operate in support of one another.

EXTRACELLULAR FLUID TRANSPORT AND MIXING SYSTEM—THE BLOOD CIRCULATORY SYSTEM

Extracellular fluid is transported through the body in two stages. The first stage is movement of blood through the body in the blood vessels. The second is movement of fluid between the blood capillaries and the *intercellular spaces* between the tissue cells.

Figure 1-1 shows the overall circulation of blood. All the blood in the circulation traverses the entire circuit an average




Figure 1-1. General organization of the circulatory system.

of once each minute when the body is at rest and as many as six times each minute when a person is extremely active.

As blood passes through blood capillaries, continual exchange of extracellular fluid occurs between the plasma portion of the blood and the interstitial fluid that fills the intercellular spaces. This process is shown in Figure 1-2. The capillary walls are permeable to most molecules in the blood plasma, with the exception of plasma proteins, which are too large to pass through capillaries readily. Therefore, large amounts of fluid and its dissolved constituents *diffuse* back and forth between the blood and the tissue spaces, as shown by the arrows in Figure 1-2.

This process of diffusion is caused by kinetic motion of the molecules in the plasma and the interstitial fluid.




Figure 1-2. Diffusion of fluid and dissolved constituents through the capillary walls and interstitial spaces.

That is, the fluid and dissolved molecules are continually moving and bouncing in all directions in the plasma and fluid in the intercellular spaces, as well as through capillary pores. Few cells are located more than 50 micrometers from a capillary, which ensures diffusion of almost any substance from the capillary to the cell within a few seconds. Thus, the extracellular fluid everywhere in the body—both that of the plasma and that of the interstitial fluid—is continually being mixed, thereby maintaining homogeneity of extracellular fluid throughout the body.

ORIGIN OF NUTRIENTS IN THE EXTRACELLULAR FLUID

Respiratory System. Figure 1-1 shows that each time blood passes through the body, it also flows through the lungs. The blood picks up *oxygen* in alveoli, thus acquiring the oxygen needed by cells. The membrane between the alveoli and the lumen of the pulmonary capillaries, the *alveolar membrane*, is only 0.4 to 2.0 micrometers thick, and oxygen rapidly diffuses by molecular motion through this membrane into the blood.

Gastrointestinal Tract. A large portion of the blood pumped by the heart also passes through the walls of the gastrointestinal tract. Here different dissolved nutrients, including *carbohydrates*, *fatty acids*, and *amino acids*, are absorbed from ingested food into the extracellular fluid of the blood.

Liver and Other Organs That Perform Primarily Metabolic Functions. Not all substances absorbed from the gastrointestinal tract can be used in their absorbed form by the cells. The liver changes the chemical compositions of many of these substances to more usable forms, and other tissues of the body—fat cells, gastrointestinal mucosa, kidneys, and endocrine glands—help modify the absorbed substances or store them until they are needed. The liver also eliminates certain waste products produced in the body and toxic substances that are ingested.

Musculoskeletal System. How does the musculoskeletal system contribute to homeostasis? The answer is obvious and simple. Were it not for the muscles, the body could not move to obtain the foods required for nutrition. The musculoskeletal system also provides motility for protection against adverse surroundings, without which the entire body, along with its homeostatic mechanisms, could be destroyed.

REMOVAL OF METABOLIC END PRODUCTS

Removal of Carbon Dioxide by the Lungs. At the same time that blood picks up oxygen in the lungs, *carbon dioxide* is released from the blood into lung alveoli; the respiratory movement of air into and out of the lungs carries carbon dioxide to the atmosphere. Carbon dioxide is the most abundant of all the metabolism products.

Kidneys. Passage of blood through the kidneys removes most of the other substances from the plasma besides carbon dioxide that are not needed by cells. These substances include different end products of cellular metabolism, such as urea and uric acid; they also include excesses of ions and water from the food that accumulate in the extracellular fluid.

The kidneys perform their function first by filtering large quantities of plasma through the glomerular capillaries into the tubules and then reabsorbing into the blood substances needed by the body, such as glucose, amino acids, appropriate amounts of water, and many of the ions. Most of the other substances that are not needed by the body, especially metabolic waste products such as urea and creatinine, are reabsorbed poorly and pass through the renal tubules into the urine.

Gastrointestinal Tract. Undigested material that enters the gastrointestinal tract and some waste products of metabolism are eliminated in the feces.

Liver. Among the many functions of the liver is detoxification or removal of ingested drugs and chemicals. The liver secretes many of these wastes into the bile to be eventually eliminated in the feces.

REGULATION OF BODY FUNCTIONS

Nervous System. The nervous system is composed of three major parts—the *sensory input portion*, the *central nervous system* (or *integrative portion*), and the *motor output portion*. Sensory receptors detect the state of the body and its surroundings. For example, receptors in the skin alert us whenever an object touches the skin. The eyes are sensory organs that give us a visual image of the surrounding area. The ears are also sensory organs. The central nervous system is composed of the brain and spinal cord. The brain stores information, generates thoughts, creates ambition, and determines reactions that the body

performs in response to the sensations. Appropriate signals are then transmitted through the motor output portion of the nervous system to carry out one's desires.

An important segment of the nervous system is called the *autonomic system*. It operates at a subconscious level and controls many functions of internal organs, including the level of pumping activity by the heart, movements of the gastrointestinal tract, and secretion by many of the body's glands.

Hormone Systems. Located in the body are *endocrine glands*, organs and tissues that secrete chemical substances called *hormones*. Hormones are transported in the extracellular fluid to other parts of the body to help regulate cellular function. For example, *thyroid hormone* increases the rates of most chemical reactions in all cells, thus helping set the tempo of bodily activity. *Insulin* controls glucose metabolism, *adrenocortical hormones* control sodium and potassium ions and protein metabolism, and *parathyroid hormone* controls bone calcium and phosphate. Thus, the hormones provide a regulatory system that complements the nervous system. The nervous system controls many muscular and secretory activities of the body, whereas the hormonal system regulates many metabolic functions. The nervous and hormonal systems normally work together in a coordinated manner to control essentially all the organ systems of the body.

PROTECTION OF THE BODY

Immune System. The immune system includes white blood cells, tissue cells derived from white blood cells, the thymus, lymph nodes, and lymph vessels that protect the body from pathogens such as bacteria, viruses, parasites, and fungi. The immune system provides a mechanism for the body to carry out the following: (1) distinguish its own cells from harmful foreign cells and substances; and (2) destroy the invader by *phagocytosis* or by producing *sensitized lymphocytes* or specialized proteins (e.g., *antibodies*) that destroy or neutralize the invader.

Integumentary System. The skin and its various appendages (including the hair, nails, glands, and other structures) cover, cushion, and protect the deeper tissues and organs of the body and generally provide a boundary between the body's internal environment and the outside world. The integumentary system is also important for temperature regulation and excretion of wastes, and it provides a sensory interface between the body and the external environment. The skin generally comprises about 12% to 15% of body weight.

REPRODUCTION

Although reproduction is sometimes not considered a homeostatic function, it helps maintain homeostasis by generating new beings to take the place of those that are

dying. This may sound like a permissive usage of the term *homeostasis*, but it illustrates that in the final analysis, essentially all body structures are organized to help maintain the automaticity and continuity of life.

CONTROL SYSTEMS OF THE BODY

The human body has thousands of control systems. Some of the most intricate of these systems are genetic control systems that operate in all cells to help regulate intracellular and extracellular functions. This subject is discussed in Chapter 3.

Many other control systems operate *within the organs* to regulate functions of the individual parts of the organs; others operate throughout the entire body *to control the interrelationships between the organs*. For example, the respiratory system, operating in association with the nervous system, regulates the concentration of carbon dioxide in the extracellular fluid. The liver and pancreas control glucose concentration in the extracellular fluid, and the kidneys regulate concentrations of hydrogen, sodium, potassium, phosphate, and other ions in the extracellular fluid.

EXAMPLES OF CONTROL MECHANISMS

Regulation of Oxygen and Carbon Dioxide Concentrations in the Extracellular Fluid. Because oxygen is one of the major substances required for chemical reactions in cells, the body has a special control mechanism to maintain an almost exact and constant oxygen concentration in the extracellular fluid. This mechanism depends principally on the chemical characteristics of *hemoglobin*, which is present in red blood cells. Hemoglobin combines with oxygen as the blood passes through the lungs. Then, as the blood passes through the tissue capillaries, hemoglobin, because of its own strong chemical affinity for oxygen, does not release oxygen into the tissue fluid if too much oxygen is already there. However, if oxygen concentration in the tissue fluid is too low, sufficient oxygen is released to re-establish an adequate concentration. Thus, regulation of oxygen concentration in the tissues relies to a great extent on the chemical characteristics of hemoglobin. This regulation is called the *oxygen-buffering function of hemoglobin*.

Carbon dioxide concentration in the extracellular fluid is regulated in a much different way. Carbon dioxide is a major end product of oxidative reactions in cells. If all the carbon dioxide formed in the cells continued to accumulate in the tissue fluids, all energy-giving reactions of the cells would cease. Fortunately, a higher than normal carbon dioxide concentration in the blood *excites the respiratory center*, causing a person to breathe rapidly and deeply. This deep rapid breathing increases expiration of carbon dioxide and, therefore, removes excess carbon dioxide from the blood and tissue fluids. This process continues until the concentration returns to normal.




Figure 1-3. Negative feedback control of arterial pressure by the arterial baroreceptors. Signals from the sensor (baroreceptors) are sent to the medulla of the brain, where they are compared with a reference set point. When arterial pressure increases above normal, this abnormal pressure increases nerve impulses from the baroreceptors to the medulla of the brain, where the input signals are compared with the set point, generating an error signal that leads to decreased sympathetic nervous system activity. Decreased sympathetic activity causes dilation of blood vessels and reduced pumping activity of the heart, which return arterial pressure toward normal.

Regulation of Arterial Blood Pressure. Several systems contribute to arterial blood pressure regulation. One of these, the *baroreceptor system*, is an excellent example of a rapidly acting control mechanism (Figure 1-3). In the walls of the bifurcation region of the carotid arteries in the neck, and also in the arch of the aorta in the thorax, are many nerve receptors called *baroreceptors* that are stimulated by stretch of the arterial wall. When arterial pressure rises too high, the baroreceptors send barrages of nerve impulses to the medulla of the brain. Here, these impulses inhibit the *vasomotor center*, which in turn decreases the number of impulses transmitted from the vasomotor center through the sympathetic nervous system to the heart and blood vessels. Lack of these impulses causes diminished pumping activity by the heart and dilation of peripheral blood vessels, allowing increased blood flow through the vessels. Both these effects decrease the arterial pressure, moving it back toward normal.

Conversely, a decrease in arterial pressure below normal relaxes the stretch receptors, allowing the vasomotor center to become more active than usual, thereby causing vasoconstriction and increased heart pumping. The initial decrease in arterial pressure thus initiates negative feedback mechanisms that raise arterial pressure back toward normal.

Normal Ranges and Physical Characteristics of Important Extracellular Fluid Constituents

Table 1-1 lists some important constituents and physical characteristics of extracellular fluid, along with their normal values, normal ranges, and maximum limits without causing death. Note the narrowness of the normal range for each one. Values outside these ranges are often caused by illness, injury, or major environmental challenges.

Table 1-1 Important Constituents and Physical Characteristics of Extracellular Fluid

Constituent	Normal Value	Normal Range	Approximate Short-Term Nonlethal Limit	Unit
Oxygen (venous)	40	25–40	10–1000	mm Hg
Carbon dioxide (venous)	45	41–51	5–80	mm Hg
Sodium ion	142	135–145	115–175	mmol/L
Potassium ion	4.2	3.5–5.3	1.5–9.0	mmol/L
Calcium ion	1.2	1.0–1.4	0.5–2.0	mmol/L
Chloride ion	106	98–108	70–130	mmol/L
Bicarbonate ion	24	22–29	8–45	mmol/L
Glucose	90	70–115	20–1500	mg/dl
Body temperature	98.4 (37.0)	98–98.8 (37.0)	65–110 (18.3–43.3)	°F (°C)
Acid–base (venous)	7.4	7.3–7.5	6.9–8.0	pH

Most important are the limits beyond which abnormalities can cause death. For example, an increase in the body temperature of only 11°F (7°C) above normal can lead to a vicious cycle of increasing cellular metabolism that destroys the cells. Note also the narrow range for acid–base balance in the body, with a normal pH value of 7.4 and lethal values only about 0.5 on either side of normal. Whenever the potassium ion concentration decreases to less than one-third normal, paralysis may result from the inability of the nerves to carry signals. Alternatively, if potassium ion concentration increases to two or more times normal, the heart muscle is likely to be severely depressed. Also, when the calcium ion concentration falls below about one-half normal, a person is likely to experience tetanic contraction of muscles throughout the body because of the spontaneous generation of excess nerve impulses in peripheral nerves. When the glucose concentration falls below one-half normal, a person frequently exhibits extreme mental irritability and sometimes even has convulsions.

These examples should give one an appreciation for the necessity of the vast numbers of control systems that keep the body operating in health. In the absence of any one of these controls, serious body malfunction or death can result.

CHARACTERISTICS OF CONTROL SYSTEMS

The aforementioned examples of homeostatic control mechanisms are only a few of the many thousands in the body, all of which have some common characteristics, as explained in this section.

Negative Feedback Nature of Most Control Systems

Most control systems of the body act by *negative feedback*, which can be explained by reviewing some of the homeostatic control systems mentioned previously. In the regulation of carbon dioxide concentration, a high concentration of carbon dioxide in the extracellular fluid increases pulmonary ventilation. This, in turn, decreases

the extracellular fluid carbon dioxide concentration because the lungs expire greater amounts of carbon dioxide from the body. Thus, the high concentration of carbon dioxide initiates events that decrease the concentration toward normal, which is *negative* to the initiating stimulus. Conversely, a carbon dioxide concentration that falls too low results in feedback to increase the concentration. This response is also negative to the initiating stimulus.

In the arterial pressure–regulating mechanisms, a high pressure causes a series of reactions that promote reduced pressure, or a low pressure causes a series of reactions that promote increased pressure. In both cases, these effects are negative with respect to the initiating stimulus.

Therefore, in general, if some factor becomes excessive or deficient, a control system initiates *negative feedback*, which consists of a series of changes that return the factor toward a certain mean value, thus maintaining homeostasis.

Gain of a Control System. The degree of effectiveness with which a control system maintains constant conditions is determined by the *gain* of negative feedback. For example, let us assume that a large volume of blood is transfused into a person whose baroreceptor pressure control system is not functioning, and the arterial pressure rises from the normal level of 100 mm Hg up to 175 mm Hg. Then, let us assume that the same volume of blood is injected into the same person when the baroreceptor system is functioning, and this time the pressure increases by only 25 mm Hg. Thus, the feedback control system has caused a “correction” of –50 mm Hg, from 175 mm Hg to 125 mm Hg. There remains an increase in pressure of +25 mm Hg, called the “error,” which means that the control system is not 100% effective in preventing change. The gain of the system is then calculated by using the following formula:

$$\text{Gain} = \frac{\text{Correction}}{\text{Error}}$$

Thus, in the baroreceptor system example, the correction is –50 mm Hg, and the error persisting is +25 mm Hg. Therefore, the gain of the person’s baroreceptor system




Figure 1-4. Recovery of heart pumping caused by negative feedback after 1 liter of blood is removed from the circulation. Death is caused by positive feedback when 2 liters or more blood is removed.

for control of arterial pressure is -50 divided by $+25$, or -2 . That is, a disturbance that increases or decreases the arterial pressure does so only one-third as much as would occur if this control system were not present.

The gains of some other physiological control systems are much greater than that of the baroreceptor system. For example, the gain of the system controlling internal body temperature when a person is exposed to moderately cold weather is about -33 . Therefore, one can see that the temperature control system is much more effective than the baroreceptor pressure control system.

Positive Feedback May Cause Vicious Cycles and Death

Why do most control systems of the body operate by negative feedback rather than by positive feedback? If one considers the nature of positive feedback, it is obvious that positive feedback leads to instability rather than stability and, in some cases, can cause death.

Figure 1-4 shows an example in which death can ensue from positive feedback. This figure depicts the pumping effectiveness of the heart, showing the heart of a healthy human pumping about 5 liters of blood per minute. If the person suddenly bleeds a total of 2 liters, the amount of blood in the body is decreased to such a low level that not enough blood is available for the heart to pump effectively. As a result, the arterial pressure falls, and the flow of blood to the heart muscle through the coronary vessels diminishes. This scenario results in weakening of the heart, further diminished pumping, a further decrease in coronary blood flow, and still more weakness of the heart; the cycle repeats itself again and again until death occurs. Note that each cycle in the feedback results in further weakening of the heart. In other words, the initiating stimulus causes more of the same, which is *positive feedback*.

Positive feedback is sometimes known as a “vicious cycle,” but a mild degree of positive feedback can be

overcome by the negative feedback control mechanisms of the body, and the vicious cycle then fails to develop. For example, if the person in the aforementioned example bleeds only 1 liter instead of 2 liters, the normal negative feedback mechanisms for controlling cardiac output and arterial pressure can counterbalance the positive feedback and the person can recover, as shown by the dashed curve of **Figure 1-4**.

Positive Feedback Can Sometimes Be Useful. The body sometimes uses positive feedback to its advantage. Blood clotting is an example of a valuable use of positive feedback. When a blood vessel is ruptured, and a clot begins to form, multiple enzymes called *clotting factors* are activated within the clot. Some of these enzymes act on other inactivated enzymes of the immediately adjacent blood, thus causing more blood clotting. This process continues until the hole in the vessel is plugged and bleeding no longer occurs. On occasion, this mechanism can get out of hand and cause formation of unwanted clots. In fact, this is what initiates most acute heart attacks, which can be caused by a clot beginning on the inside surface of an atherosclerotic plaque in a coronary artery and then growing until the artery is blocked.

Childbirth is another situation in which positive feedback is valuable. When uterine contractions become strong enough for the baby’s head to begin pushing through the cervix, stretching of the cervix sends signals through the uterine muscle back to the body of the uterus, causing even more powerful contractions. Thus, the uterine contractions stretch the cervix, and cervical stretch causes stronger contractions. When this process becomes powerful enough, the baby is born. If they are not powerful enough, the contractions usually die out, and a few days pass before they begin again.

Another important use of positive feedback is for the generation of nerve signals. Stimulation of the membrane of a nerve fiber causes slight leakage of sodium ions through sodium channels in the nerve membrane to the fiber’s interior. The sodium ions entering the fiber then change the membrane potential, which, in turn, causes more opening of channels, more change of potential, still more opening of channels, and so forth. Thus, a slight leak becomes an explosion of sodium entering the interior of the nerve fiber, which creates the nerve action potential. This action potential, in turn, causes electrical current to flow along the outside and inside of the fiber and initiates additional action potentials. This process continues until the nerve signal goes all the way to the end of the fiber.

In each case in which positive feedback is useful, the positive feedback is part of an overall negative feedback process. For example, in the case of blood clotting, the positive feedback clotting process is a negative feedback process for the maintenance of normal blood volume. Also, the positive feedback that causes nerve signals allows the nerves to participate in thousands of negative feedback nervous control systems.

More Complex Types of Control Systems—Feed-Forward and Adaptive Control

Later in this text, when we study the nervous system, we shall see that this system contains great numbers of interconnected control mechanisms. Some are simple feedback systems similar to those already discussed. Many are not. For example, some movements of the body occur so rapidly that there is not enough time for nerve signals to travel from the peripheral parts of the body all the way to the brain and then back to the periphery again to control the movement. Therefore, the brain uses a mechanism called *feed-forward control* to cause required muscle contractions. Sensory nerve signals from the moving parts apprise the brain about whether the movement is performed correctly. If not, the brain corrects the feed-forward signals that it sends to the muscles the *next* time the movement is required. Then, if still further correction is necessary, this process will be performed again for subsequent movements. This process is called *adaptive control*. Adaptive control, in a sense, is delayed negative feedback.

Thus, one can see how complex the feedback control systems of the body can be. A person's life depends on all of them. Therefore, much of this text is devoted to discussing these life-giving mechanisms.

PHYSIOLOGICAL VARIABILITY

Although some physiological variables, such as plasma concentrations of potassium, calcium, and hydrogen ions, are tightly regulated, others, such as body weight and adiposity, show wide variation among different individuals and even in the same individual at different stages of life. Blood pressure, cardiac pumping, metabolic rate, nervous system activity, hormones, and other physiological variables change throughout the day as we move about and engage in normal daily activities. Therefore, when we discuss “normal” values, it is with the understanding that many of the body's control systems are constantly reacting to perturbations, and that variability may exist among different individuals, depending on body weight and height, diet, age, sex, environment, genetics, and other factors.

For simplicity, discussion of physiological functions often focuses on the “average” 70-kg young, lean male. However, the American male no longer weighs an average of 70 kg; he now weighs over 88 kg, and the average American female weighs over 76 kg, more than the average man in the 1960s. Body weight has also increased substantially in most other industrialized countries during the past 40 to 50 years.

Except for reproductive and hormonal functions, many other physiological functions and normal values are often discussed in terms of male physiology. However, there are clearly differences in male and female physiology beyond the obvious differences that relate to reproduction. These differences can have important consequences

for understanding normal physiology as well as for treatment of diseases.

Age-related and ethnic or racial differences in physiology also have important influences on body composition, physiological control systems, and pathophysiology of diseases. For example, in a lean young male the total body water is about 60% of body weight. As a person grows and ages, this percentage gradually decreases, partly because aging is usually associated with declining skeletal muscle mass and increasing fat mass. Aging may also cause a decline in the function and effectiveness of some organs and physiological control systems.

These sources of physiological variability—sex differences, aging, ethnic, and racial—are complex but important considerations when discussing normal physiology and the pathophysiology of diseases.

SUMMARY—AUTOMATICITY OF THE BODY

The main purpose of this chapter has been to discuss briefly the overall organization of the body and the means whereby the different parts of the body operate in harmony. To summarize, the body is actually a *social order of about 35 to 40 trillion cells* organized into different functional structures, some of which are called *organs*. Each functional structure contributes its share to the maintenance of homeostasis in the extracellular fluid, which is called the *internal environment*. As long as normal conditions are maintained in this internal environment, the cells of the body continue to live and function properly. Each cell benefits from homeostasis and, in turn, each cell contributes its share toward the maintenance of homeostasis. This reciprocal interplay provides continuous automaticity of the body until one or more functional systems lose their ability to contribute their share of function. When this happens, all the cells of the body suffer. Extreme dysfunction leads to death; moderate dysfunction leads to sickness.

Bibliography

- Adolph EF: Physiological adaptations: hypertrophies and superfunctions. *Am Sci* 60:608, 1972.
- Bentsen MA, Mirzadeh Z, Schwartz MW: Revisiting how the brain senses glucose—and why. *Cell Metab* 29:11, 2019.
- Bernard C: *Lectures on the Phenomena of Life Common to Animals and Plants*. Springfield, IL: Charles C Thomas, 1974.
- Cannon WB: Organization for physiological homeostasis. *Physiol Rev* 9:399, 1929.
- Chien S: Mechanotransduction and endothelial cell homeostasis: the wisdom of the cell. *Am J Physiol Heart Circ Physiol* 292:H1209, 2007.
- DiBona GF: Physiology in perspective: the wisdom of the body. Neural control of the kidney. *Am J Physiol Regul Integr Comp Physiol* 289:R633, 2005.
- Dickinson MH, Farley CT, Full RJ, et al: How animals move: an integrative view. *Science* 288:100, 2000.
- Eckel-Mahan K, Sassone-Corsi P: Metabolism and the circadian clock converge. *Physiol Rev* 93:107, 2013.

- Guyton AC: Arterial Pressure and Hypertension. Philadelphia: WB Saunders, 1980.
- Herman MA, Kahn BB: Glucose transport and sensing in the maintenance of glucose homeostasis and metabolic harmony. *J Clin Invest* 116:1767, 2006.
- Kabashima K, Honda T, Ginhoux F, Egawa G: The immunological anatomy of the skin. *Nat Rev Immunol* 19:19, 2019.
- Khrantsova EA, Davis LK, Stranger BE: The role of sex in the genomics of human complex traits. *Nat Rev Genet* 20: 173, 2019.
- Kim KS, Seeley RJ, Sandoval DA: Signalling from the periphery to the brain that regulates energy homeostasis. *Nat Rev Neurosci* 19:185, 2018.
- Nishida AH, Ochman H: A great-ape view of the gut microbiome. *Nat Rev Genet* 20:185, 2019.
- Orgel LE: The origin of life on the earth. *Sci Am* 271:76, 1994.
- Reardon C, Murray K, Lomax AE: Neuroimmune communication in health and disease. *Physiol Rev* 98:2287-2316, 2018.
- Sender R, Fuchs S, Milo R: Revised estimates for the number of human and bacteria cells in the body. *PLoS Biol* 14(8):e1002533, 2016.
- Smith HW: *From Fish to Philosopher*. New York: Doubleday, 1961.